

The fghanistan grometerological AM onthly Bulletin

opics Crop Information Precipitation Temperature NDVI





Adverse Factor

Crop Condition

Crop Stage

2

3









The Agromet Project of USGS, supported by United State Agency for International Development (USAID), is working together with the Ministry of Agriculture, Irrigation and Livestock (MAIL) and the Afghan Meteorological Authority (AMA) of Ministry of Transport (MoT)

BULLETIN CONTENTS

Issue No: 67 September 2010

Crop Information

The Afghanistan's Agromet Monthly Bulletin is being Published on monthly Bases in Dari and English Languages.

Crop Stage, Crop Condition a	nu Auverse Factor1-5
Crop Maps	6 - 8

Rainfall Situation

Rainfall Situation	
Rainfall Graphs	10-1
Rainfall Data	1
Rainy Days	13

Temperature

Average Temperature	14
Maximum and Minimum Temperature	15

Normalized Difference Vegetation Index

Comparison	of (NDVI)	1	6
Comparison	OI (IND V I)		U

Supported by:

United State Agency for International Development (USAID)

Other Information

Data Source:

Ministry of Agriculture, Irrigation and Livestock (MAIL), Agromet Project, Afghan Meteorological Authority (AMA), United States Geological Survey (USGS), Food and Agriculture Organization of United Nation (FAO)

Summary

During September 2010 the country received moderate rainfall which is seasonally usual in this time of the year and rainfall in the Month of September 2010 had small increase compared to the same month in last year and long term average.

Temperature for the month of September 2010 was lower than the same month of last year all over the country.

During September 2010 the number of Rainy days was higher than the same month of last year.

Snow depth has been recorded 10 to 30 cm in the extreme portion of the Northeastern regions.

Crop Stage, Crop Condition and Adverse Factor								
7	ъ .	D:	G:	Wheat				
Zone	Province	District	Station	Crop Stage	Crop Condition	Adverse Factor		
		Shakardara	Karizmir					
	V a basil	Paghman	Paghman	Dlaz				
	Kabul	Kabul	Darulaman	Planting (Winter Wheat)		eat)		
		Surubi	Surubi					
	Describes	Dara	Dara					
	Panjsher	Dashtak	Dashtak	Harvested				
Central	Dannan	Syagerd	Gor band					
	Parwan	Charikar	Charikar					
		Mahmoodraqi	Mahmoodraqi					
	Kapisa	Kohistan	Kohistan					
		Chake	Chake					
	Wardak	Jaghatoo	Jaghatoo	Planting (Winter Wheat)				
		Bamyan	Bamyan					
East Central	Bamyan	Yakawlang	Yakawlang					
		Panjab	Panjab					
	Noristan	Paroon	Paroon					
	1 (OTISCEII	Duab	Duab	Duab Harvested	Harvested			
		Agam	Agam					
Eastern	N	Batikot	Ghaziabad					
	Nangarhar	Jalalabad	Sheshembagh					
		Asmar	Asmar					

Data Source: Agromet Network

Crop Stage, Crop Condition and Adverse Factor

Zone	Province	District	Station	Wheat		T			
Zonc	Trovince	District	Station	Crop Stage	Crop Condition	Adverse Factor			
	Kunar	Asmar	Asmar						
	Kunar	Asad Abad	Asad Abad						
Eastern	Laghman	Mihtarlam	Mihtarlam						
		Paroon	Paroon	7					
	Noristan	Do Ab	Do Ab	1					
		Bangi	Bangi						
	Takhar	Taluqan	Taluqan						
		Imam Sahib	Imam Sahib						
		Qaliazal	Aqtipa						
	Kunduz	Chardara	Chardara						
North		Kunduz	Kunduz						
		Ali Abad	Ali Abad		Harvested				
Eastern	Baghlan	Pulikhomri	Pozaishan						
		Argo	Argo						
		Baharak	Baharak						
	Badakhshan	Ashkashm	Ashkashm						
		Khash	Kash						
		Faiz Abad	Faiz Abad						
		Khost	Khost						
	Khost	Khost	Shimal						
		Ali Sher	Ali Sher						
	Paktia	Zormat	Rohani Baba						
South		Gardiz	Tera						
Eastern		Urgon	Urgon						
	Paktika	Sharana	Sharana						
		Tera	Tera	Plou	ighing (Winter Whe	eat)			
	Ghazni	Muqur	Muqur						
	Ghazhi	Andar	Bande Sardi						
	Nimroz	Zaranj	Zaranj		Harvested				
	Kandahar	Kandahar	Kandahar	D1	whing (Winter Wi	unat)			
	Zabul	Qalat	Qalat	Pioug	ghing (Winter Wh	leat)			
Couthous	Urozgan	Tirin Kot	Tirin Kot						
Southern		Nad Ali	Nad Ali						
	U:1	Greshk	Greshk		Harvested				
	Hilmand	Nawa	Nawa						
		Lashkargah	Bolan						

Crop Stage, Crop Condition and Adverse Factor									
_			~ .	Wheat					
Zone	Province	District	Station	Crop Sta	ige	Crop Con	dition	Adverse Factor	
		Takhta pol	Dihdadi	Harvested					
	Balkh	Nahrishahi	Nahrishahi						
	T	Sheberghan	Sheberghan		Pre planting (Winter Wheat)				
	Jawzjan	Darzab	Darzab						
	Carimul	Saripul	Saripul			Harvest	ted		
Northern	Saripul	Sozmaqala	Sozmaqala						
	Earnah	Maimana	Maimana		Pre pl	lanting (Wi	nter W	heat)	
	Faryab	Andkhoy	Andkhoy						
		Aibak	Aibak			II.			
	Samangan	Dara Souf	Dara Souf			Harvest	tea		
		Sar bagh	Sarbagh						
	Б	Qalainow	Qalainow		Pre p	lanting (Wi	nter W	heat)	
	Badghis	Muqur	Muqur	Ploughing (Winter Wheat)					
	Ghor	Chaghcharan	Chaghcharan					eat)	
Western		Shindand	Shindand						
Western	Hirat	Zindajan	Zindajan	Harvested					
	111140	Gwazara	Falahat			1101 / 05	·cu		
		Hirat	Farm Urdokhan						
	Farah	Farah	Farah	Planting (Winter wheat)				at)	
Zone	Province	District	Station	Maize					
	110,1110	21801100	~ *************************************	Crop Stage	Crop	Condition	A	dverse Factor	
		Surubi	Surubi	Grain Filling		Normal	Shortage	of inputs	
	Kabul	Shaker dara	Shaker dara	Grain Filling		Normal		Not existed	
	Faryab	Maimana	Maimana				_		
	Dayroon	Charikar	Charikar			Harvest	ted		
Central	Parwan	Syagerd	Syagerd	Flowering		Normal		Not existed	
	Panjshir	Dashtak	Dashtak			II			
		Kapisa	Mahmod Raqi	Harvested					
	Kapisa	Kohistan	Kohistan		1	Harvested			
		Sya gerd	Sya gerd	Grain Filling		Normal		Not existed	
		Agam	Agam	Grain Filling		Normal		Not existed	
		Batikot	Ghazi Abad	Vegetative		Normal		Not existed	
Eastern	Nangarhar	Jalalabad	Sheshembagh	Grain Filling		Normal		Not existed	
		Bnehsood	Behsood	Harvested					

Crop Stage, Crop Condition and Adverse Factor Maize Zone **Province District** Station **Adverse Factor Crop Stage Crop Condition** Kunar Flowering Not existed Asmar Asmar Normal Asadabad Asadabad Harvested Eastern Paroon Paroon Noristan Waigal Waigal Norgaram Grain Filling Norgaram Normal Not existed Do Ab Do Ab Grain Filling Not existed Normal Imam Sahib Imam Sahib Grain Filling Not existed Normal Qala - e - Zal Aqtipa Vegetative Normal Not existed Chardara Chardara Grain Filling Normal Not existed Kunduz Kunduz Kunduz Grain Filling Normal Not existed Grain Filling Pest and disease Ali Abad Ali Abad Normal **North Eastern** Archi Archi Grain Filling Normal Not existed Not existed Flowering Bangi Bangi Good Takhar Taloqan Taloqan Grain Filling Normal Weeds Polikhomri Poza ieshan Vegetative Normal Not existed **Baghlan** Polikhomri Polikhomri Flowering Normal Not existed Khost Khost Flowering Good Not existed Not existed Khost Khost Shimal Flowering Good Ali Sher Harvested Ali Sher **South Eastern** Rohani Baba Harvested Zormat Paktia Gardiz Tera Grain Filling Good Not existed Urgon Urgon Paktika Harvested Sharana Sharana Nad Ali Nad Ali Flowering Normal Not existed Greshk Greshk Flowering Normal Not existed Hilmand Southern Nawa Nawa Grain Filling Normal Not existed Lashkargah Bolan Flowering Normal Not existed Urozgan Urozgan Urozgan Grain Filling Normal Not existed Dara Souf Dara Souf Flowering Good Not existed Northern Samangan Sar bagh Sar bagh Grain Filling Normal Not existed Shendand Shendand Harvested Hirat Zenda jan Zenda jan

Farah

Ghazni

Farah

Moqur

Farah

Muqur

Flowering

Western

Not existed


Harvested

Normal

Crop Stage, Crop Condition and Adverse Factor

				Rice					
Zone	Province	District	Station	Crop Stage	Crop Condition	Adverse Factor			
Central	Kabul	Sarubi	Sarubi	Grain Filling	Normal	Shortage of inputs			
		Agam	Agam	Grain Filling	Normal	Cut worm			
	Nangarhar	Batikot	Ghazi Abad	Vegetative	Normal	Not existed			
		Jalalabad	Sheshembagh	Flowering	Normal	Not existed			
Eastern		Jalalabad	Farm Jadeed		Harvested				
		Asmar	Asmar		Haivested				
	Kunar	Asad Abad	Asad Abad	Vegetative	Normal	Not existed			
	Laghman	Mihtarlam	Mihtarlam	Flowering	Normal	Shortage of inputs			
		Imam Sahib	Imam Sahib		Harvested				
		Qaliazal	Aqtipa	Flowering	Normal	Not existed			
	Kunduz	Chardara	Chardara	Grain Filling	Normal	Not existed			
		Kunduz	Kunduz	Flowering	Normal	Not existed			
		Khan Abad	Khan Abad	Harvested					
North Eastern		Ali Abad	Ali Abad	Grain Filling	Normal	Weeds			
		Archi	Archi	Harvested					
	Takhar	Bangi	Bangi	Grain Filling	Normal	Weeds			
	такпаг	Taloqan	Taloqan	Flowering	Normal	Not existed			
	ъ п	Polikhomri	Polikhomri	Vegetative	Normal	Not existed			
	Baghlan	Pozaishan	Pozaishan	Vegetative	Normal	Not existed			
	Khost	Khost	Khost	Grain Filling	Good	Not existed			
South	IXIIUSt	Khost	Shimal	Grain Filling	Good	Not existed			
Eastern		Ali Sher	Ali Sher		Harvested				
	Paktia	Zormat	Rohanee baba	Grain Filling	Normal	Not existed			
Southern	Urozgan	Urozgan	Urozgan	Grain Filling	Normal	Not existed			
Wasta	II:ua4	Shendand	Shendand		Hawastad				
Western	Hirat	Zenda jan	Zenda jan	Harvested					

Wheat Crop Stage, Condition and Adverse Factor Maps





Not Visible Crop Condition

Not Visible Adverse Factor

Maize Crop Stage, Condition and Adverse Factor Maps










Data Source: Agromet Network

Rice Crop Stage, Condition and Adverse Factor Maps







Data Source: Agromet Network

Precipitation

heavy seasonal rainfall due to Indian monsoon which was accompanied by flash floods too.

During September 2010 the country received moderate rainfall which is seasonally usual in this time of the year.


However rainfall had variable situation in different parts of the country, which was showing an increase in some parts while rainfall was accompanied with decrease in other parts.


Comparison of rainfall data for the month of the country seasonal dryness continued. September 2010 with the same month in 2009 (Chart1) shows an increase in rainfall during the month of September 2010 over the same month last year.


During July and August 2010 the country received Comparison of rainfall data for the month of September 2010 with the same month of long term average (Chart 2) shows small increase of rainfall during the month of September 2010 over the same month of long term average.

> Distribution of rainfall as usual was variable in different parts of the country during September 2010.


> As map (8) shows most amount of rainfall occurred Eastern region during September 2010, the Southeastern and Northeastern regions experienced less amount of rainfall and the remaining regions of








Station	Rainfall September 2009 in (mm)	Rainfall September 2010 in (mm)	Long Term Average September in (mm)
Aibak	0	0 0	
Asmar	100	66	27.7
Baghlan	0	0	0.2
Bamyan	1	1	4.1
Chardara	0	0	0
Cheghcharan	2	0	0
Dara-e-Soof	0	0	0
Darulaman	2.8	9.4	2.7
Faizabad	0	15	2.2
Farah	0	0	0.1
Gardiz	0	0	1.2
Ghazi Abad	3	0	8.6
Ghazni	0	1	0.2
Hirat	0	0	0
mam Sahib	0	0	0
Jalalabad	22	16	9.4
Jawzjan	0	0.4	0.2
kabul	1	6.2	2
Kandahar	0	0	0
Khost	14	0	32.7
Kunduz	0	0	0
Lashkargah	0	0	0
Mazar	0	0	0
Moqur	0	0	0.3
Paghman	8	27	6.5
Qala-e-naw	0	0	0
Sarday	0	0	2.3
Sari Pul	0	0	0
Sarobi	23	4.6	8.8
Shindand	0	0	0
Taluqan	0	0	2.6
Urgon	0	0	2.4
Uruzgan	0	0	0
Zaranj	0	0	0



September 2010 with the same month of 2009 (Chart3) shows a small increase during the month

Comparison of rainy days for the month of of September 2010 over the same month of last year.




Temperature for the month of September 2010 was lower than the same month of last year.

Temperature for the month of September 2010 was the month of lower than the same month of last year. Most parts of month in 2009 (Chart4) shows small decrease in

Comparison of monthly average of temperature for country.

September 2010 with the same the country experienced slightly lower temperature. temperature during the month of September 2010 over the same month of last year across the

Data Source: AMA 14




Lashkargha with 40.3 C was the warmest sports of the Country during September 2010.


As chart (5) shows Lashkargha with 40.3 ° C was weather.

Chart (5) shows maximum and minimum the warmest spots of the country during September temperature for the month of September 2010. 2010 and Bamyan with -1 ° C experienced coldest

Data Source: AMA 15

Comparison of (NDVI) September 2010





Comparison of monthly average of NDVI for the month of September 2010 with the same month in 2009 (Map 9) shows small increase of NDVI in the Eastern region during the month of September 2010 over the same month of last year.

There is no change in NDVI in the remaining regions of the country during the month of September 2010 compared to the same month in 2009.


Comparison of monthly average of NDVI for the

month of September 2010 with the same month of long term average (Map 10) shows small increase of NDVI in the Eastern and some parts in the Northern regions during the month of September 2010 over the same month of long term average.

There is no change of NDVI in the remaining regions of the country during the month of September 2010 compared to the same month of long term average.

Data Source:FAO 16

Afghanistan Snow Depth for month of September 2010



Map (11) shows remaining snow pack in the end of Shows the snow depth has been recorded 10 to 30 cm September in the Northeastern region. As map (11) in the extreme portion of the Northeastern regions.

For more information please contact:

Name	Position	Cell	Email Address
Abdul Qadir Qadir	Director of AMA (Ministry of Transportation)	0799315843	afghanistan_met_authority@hotmail.com
Nasir Ahmad Fayez	Director of Irrigation (Ministry of Agriculture)	0700476311	Abc.fna.2008@yahoo.com

You can download the Afghanistan's Agromet Bulletins from these site:

http://afghanistan.cr.usgs.gov/documents.php?cat=1

http://bit.ly/cXzTo6

http://www.mail.gov.af/m

Data Source: USGS 17